

FLOORING STANDARDS

Series 300 | 260 GR | 260 PS



HYATT
PLACE™



Guestroom | HPG-72-1-TL (LVT-01G)

style	BS097 stratum
color	03004 exemplify
product type	COREtec®
construction	multilayer wpc with attached cork underlayment
wear layer thickness	20 mil 0.02 in 0.51 mm
overall thickness	0.315 in 8.0 mm
nominal dimensions	7 in x 48 in 18 cm x 122 cm
actual dimensions	7.13 in x 48.03 in 18.11 cm x 122 cm
installation	floating
approved install method	stagger
area per box	38.03 sq ft 16 pcs per box*
warranty	15 year commercial limited



For sample, order BS097 color 03004.

*Must purchase in full box quantities.

FLOORING STANDARDS
Series 300 | 260 GR | 260 PS



Guestroom | HPG-72-1-TL (LVT-01G)

style	BS098 stratum
color	00615 fenway oak
product type	COREtec®
construction	multilayer wpc with attached cork underlayment
wear layer thickness	20 mil 0.02 in 0.51 mm
overall thickness	0.315 in 8.0 mm
nominal dimensions	7 in x 48 in 18 cm x 122 cm
actual dimensions	7.13 in x 48.03 in 18.11 cm x 122 cm
installation	floating
approved install method	stagger
area per box	38.03 sq ft 16 pcs per box*
warranty	15 year commercial limited

For sample, order BS098 color 00615.

*Must purchase in full box quantities.

ShawContract®
hospitality




Meeting Room | HPP-22-1-CPT (CPT-04)

style	BS093
color	35585 espresso
product type	carpet tile
fiber	eco solution q® nylon
dye method	100% solution dyed
construction	multi-level pattern cut/loop
tufted weight	26.0 oz/yd ² 881.6 g/m ²
gauge	1/10 in 39.4 per 10 cm
stitches	8 per in 33 per 10 cm
size	9 in x 36 in 22.9 cm x 91.4 cm
backing	ecologix® (attached cushion)
installation	direct glue
approved install method	ashlar
warranty	lifetime commercial limited



For sample, order BS093 color 35585.

FLOORING STANDARDS
Series 300 | 260 GR | 260 PS



Back of House | HPP-20-2-CPT (CPT-05)

style	BS096
color	11760 atmosfera
product type	broadloom
fiber	eco solution q® nylon
dye method	100% solution dyed
construction	pattern loop
tufted weight	26.0 oz/yd ² 881.6 g/m ²
gauge	1/10 in 39.4 per 10 cm
stitches	10 per in 41 per 10 cm
size	12 ft 3.66 m
pattern repeat	0.30 in w x 1.50 in l 0.762 mm w x 3.81 cm l
backing	classicbac®
installation	direct glue
warranty	10 year commercial limited

For sample, order BS096 color 11760.

ShawContract®
hospitality



Adhesive

Carpet Tile Adhesive

style	H5000
description	shaw 5000 4 gallon pail
spread rate	28-33 sy per gallon

Broadloom Adhesive

style	H1000
description	shaw 1000 4 gallon pail
spread rate	8-10 sy per gallon

Seam Sealer

style	H4000
description	shaw 4000 12 quarts
spread rate	550-600 linear feet per quart

